


βapp



Target Exploration

Target Exploration

βapp



Target Exploration


Target Exploration

Target Exploration

Structural Evolution and Petroleum System of the

Hagfa Trough
Sirte Basin

Libya



A Target Exploration Report

Structural Evolution and
Petroleum Systems of the
Hagfa (Marada) Trough
Sirte Basin
Libya

Summary

This is a basin modeling of the petroleum systems and prospects generation report of the Hagfa (Marada) Trough. The stages of basin evolution are illustrated by a series of paleo-structural maps of the Hagfa Trough and flanking highs. The report identifies source rock types and richness, defines the times of their maturation and hydrocarbons generation, and re-traces the paths of their hydrocarbon migrations up to present-day fields and probable traps.

The Hagfa Trough

The Hagfa Trough is more than 300 Km long by 30-80 Km wide, NW-SE striking asymmetrical graben bound to the ENE by the Dor Marada-Zelten-Waha High, and to the WSW by the Etel Hinge Zone and the Ora-Beda High. The deeper eastern part of the trough accommodated more than 17,000 feet of post-Paleozoic sediments. The Hagfa Trough is a tectono-stratigraphic twin to the Ajdabia Trough of Sirte Basin where the prolific (4 Billion Bbls OIIP) Upper Palaeocene Intisar reef fairway discovered. Hitherto, exploration efforts failed to find similar prolific reefs in the correlative Zelten Formation in the Hagfa Trough.

The Study

Space and chronology of source rocks maturation and directions of liquid and gas phases migrations from the source rocks to carrier and reservoir rocks in the Hagfa Trough were modeled in conjunction with the structural evolution of the multiple source, reservoir (including the Zelten A, B and C reservoirs, sealing rocks within and at the flanking highs of the trough. This study is in 19 pages of text and 14 Figures (incorporates 56 Maps, Cross-Sections, Cross-Plots and other illustrations) that delineates several closed structural anomalies and predict their reservoirs poro-permeability systems and hydrocarbon contents within the trough and at the flanking highs of this under explored sub basin of the prolific Sirte Basin of Libya.

Table of Contents

1. List of Illustrations.
2. Introduction.
3. Conclusion and Recommendation.
4. Methods of Investigation.
5. Source, Reservoir and Cap Rocks of Hagfa Trough Area.
6. Structural Evolution Model of Source, Reservoir and Seal Facies.
7. Thermal Evolution Model of Source, Reservoir and Seal Facies.
8. Hydrocarbon Generation, Migration and Accumulation Models.
9. References.
10. Illustrations.

List of Illustrations

1. Well location map and main tectonic elements of the Hagfa Trough.
2. Typical stratigraphic section of the Hagfa Trough.
3. Structural Correlation Diagram of the Zelten Formation in Mesdar Area, NE Conc. 13.
4. Cumulative Isopach Triangle Method (Ibrahim, M.W., et al 1981).
5. Hydrogen Index vs. Oxygen Index Plot of Rakb/Rachmat Kerogen in the Hagfa Trough.
6. Hydrogen Index vs. Maximum Temperature Plot of Rakb/Rachmat Kerogen in the Hagfa Trough.
7. TTI Model of the Stratigraphic Section Well MM1-13.
8. Structural Evolution of Key Horizons in the Hagfa Trough.
9. Thermal Evolution of the Litho-facies of Hagfa Trough.

10. Chronology of Generation, Migration and Accumulation of Hydrocarbon in the Hagfa Trough.
11. Geochemical & Optical Kerogen Facies Map of Rakb/Rachmat Source Rocks.
12. Cross-plot of K.B. Depth of Calculated TTI Value 10 vs. K.B. Depth of Geochemically Identified Top of Oil Window in the Hagfa Trough.
13. E-W Stratigraphic Cross-Section of the Zelten Formation in N.E. Concession 13.
14. Compensated Geothermal Gradient of Well Y1-13.

This non-exclusive report is immediately available from

Target Exploration

[Click here to order your copy](#)

For further information contact:


M. Casey,

Target Exploration Consultants

65 Kenton Court, London W14 8NW, UK.

m.casey@targetexploration.com

www.targetexploration.com



Target Exploration



Revised 19/10/2017